

1249841

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office

*November 16, 2004*

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/509,367  
FILING DATE: *October 07, 2003*  
RELATED PCT APPLICATION NUMBER: *PCT/US04/32866*

Certified by



Jon W Dudas

Acting Under Secretary of Commerce  
for Intellectual Property  
and Acting Director of the U.S.  
Patent and Trademark Office

100703 U.S. PTO

Please type a plus sign (+) inside this box



PTO/SB/16 (8-00)

Approved for use through 10/31/2002. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

INVENTOR(S)					
Given Name (first and middle [if any])		Family Name or Surname		Residence (City and either State or Foreign Country)	
Bharat A.		Mehta		Bloomfield Hills, Michigan	
<input type="checkbox"/> Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (280 characters max)					
PLATFORM CATHETER					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
<input type="checkbox"/> Customer Number				Place Customer Number Bar Code Label here	
OR		Type Customer Number here			
<input checked="" type="checkbox"/> Firm or Individual Name		KOHN & ASSOCIATES			
Address		30500 Northwestern Highway			
Address		Suite 410			
City		Farmington Hills	State	Michigan	ZIP 48334
Country		US	Telephone	(248) 539-5050	Fax (248) 539-5055
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification		Number of Pages	8	<input type="checkbox"/> CD(s), Number	
<input checked="" type="checkbox"/> Drawing(s)		Number of Sheets	1	<input checked="" type="checkbox"/> Other (specify)	
<input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76		Acknowledgement postcard			
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)					
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.				FILING FEE AMOUNT (\$)	
<input checked="" type="checkbox"/> A check or money order is enclosed to cover the filing fees				\$80.00	
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number		11-1449			
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input checked="" type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____					

Respectfully submitted,

SIGNATURE

Date

10/7/03

TYPED or PRINTED NAME Amy E. Rinaldo

TELEPHONE

(248) 539-5050

REGISTRATION NO.

45,791

(if appropriate)

Docket Number.

1059.00076

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C.

P19SMALL/REV05


# PROVISIONAL APPLICATION COVER SHEET

## Additional Page

PTO/SB/16 (8-00)

Approved for use through 10/31/2002. OMB 0651-0032  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Docket Number	1059.00076	Type a plus sign (+) inside this box →	+
INVENTOR(S)/APPLICANT(S)			
Given Name (first and middle [if any])	Family or Surname	Residence (City and either State or Foreign Country)	
		<p style="text-align: center;">CERTIFICATE OF MAILING BY "EXPRESS MAIL"</p> <p style="text-align: center;">10-7-03</p> <p style="text-align: center;">"EXPRESS MAIL" Mailing Label Number <u>EL 976 237117 US</u></p> <p style="text-align: center;">Date of Deposit _____</p> <p style="text-align: center;">I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office To Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.</p> <p style="text-align: center;"></p> <p style="text-align: center;">_____ (Signature of person mailing paper or fee)</p>	

Number 2 of 2

**WARNING:** Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Attorney Docket No: 1059.00076

Express Mail Number: EL 976 237 117 US

5

## PROVISIONAL PATENT APPLICATION

### PLATFORM CATHETER

10

## BACKGROUND OF THE INVENTION

### TECHNICAL FIELD

The present invention relates to a catheter. More specifically, the  
15 present invention relates to a platform catheter.

### BACKGROUND ART

Cerebral aneurysms are enlargements of the cerebral vasculature,  
20 which protrude like a balloon from the wall of a cerebral artery. The cerebral  
aneurysm has a neck that leads to the parental vessel and a body or "dome"  
that can vary in diameter from 1-30 mm.

The wall of the aneurysm is often weak and can rupture, leading to hemorrhage. Rupture of the aneurysm can kill a patient or leave the patient with permanent or transitory mental and physical deficits.

5

Aneurysms are often treated to prevent rupture that can lead to hemorrhage, or to prevent rebleeding of acutely ruptured aneurysms. A conventional method of treating aneurysms is to fill the aneurysm with coils. The coils are introduced into the aneurysm one at a time through a delivery catheter until the aneurysm is filled. The aneurysm eventually becomes a solid mass of coils and thrombi.

10

A problem with the conventional method of using coils to fill aneurysms is that the aneurysm becomes a relatively solid mass due to coils and thrombi contained therein. The mass of coils and thrombi exert pressure on adjacent areas of the brain, which may lead to other problems. Another problem with the conventional method is that the coils must be delivered one at a time into the aneurysm, which increases the procedure time and risk to the patient. For large aneurysms, up to twenty coils may be required to fill the aneurysm.

15

20

It is an object of the invention to provide improved methods and devices for treating aneurysms. These and other objects of the invention will

become evident from the description of the preferred embodiments described below.

## DESCRIPTION OF THE INVENTION

5

Generally, the present invention provides a platform catheter and method of using the same. The catheter is a modification of an existing microcatheter tip. The parts of the catheter are made of materials known to those of skill in the art that are sufficient to perform the method of the present invention.

10

A ring of hydrogel is attached to the tip of a microcatheter. The ring is able to expand up to three times its original dimensions. The ring creates a sufficient platform at the base of a wide neck aneurysm. The head is made of a material known to those of skill in the art that is sufficient to create a platform. The catheter is shown in more detail in the attached drawings.

15

The present invention comprises a platform catheter, utilizable for the removal of an aneurysm from a body artery or vein. Such a catheter is made from a polymeric material or other materials known to those of skill in the art.

20

The present invention provides a treatment of abnormalities in a

patient's vascular system. A specific use of the present invention described below is for the treatment of cerebral aneurysms, although the various aspects of the invention described below also may be useful in treating other abnormalities such as arteriovenous malformations (AVM), hypervascular tumors, cavernous carotid fistulas, fibroid tumors, and non-reversible sterilization via fallopial occlusion.

A detailed description of the platform catheter is set forth in Appendix A included herewith and incorporated by reference in its entirety.

10

Throughout this application, various publications, including United States patents, are referenced by author and year, and patents, by number. Full citations for the publications are listed below. The disclosures of these publications and patents in their entireties are hereby incorporated by reference into this application in order to more fully describe the state of the art to which this invention pertains.

15

The invention has been described in an illustrative manner, and it is to be understood that the terminology that has been used is intended to be in the nature of words of description rather than of limitation.

20

Obviously, many modifications and variations of the present invention

are possible in light of the above teachings. It is, therefore, to be understood that within the scope of the described invention, the invention may be practiced otherwise than as specifically described.



## **APPENDIX A**

### Platform Catheter

Currently "wide neck" (more than 4 to 5mm) cerebral aneurysm treatment by endovascular technique requires additional help by balloon remodeling technique i.e. a 2<sup>nd</sup> microcatheter with an inflatable balloon is required in the parent artery. The balloon catheter is parked across the wide neck of aneurysm, while the primary microcatheter tip is parked within the sac of aneurysm. Platinum coils are deposited within the sac of wide neck aneurysm while the balloon is inflated in the parent artery, across the neck of wide neck aneurysm, thus preventing coil migration into the parent artery.

Balloon needs to be deflated periodically to prevent acute ischemia in the distal territory of parent artery. Currently this is a well accepted method of endovascular treatment of wide neck aneurysm. However, this is by no means easy or safe all the time and requires significant expertise and experience on the part of the operator.



This platform catheter concept is very simple and elegant because it eliminates use of 2<sup>nd</sup> balloon catheter. A ring of Hydrophilic material (i.e. Hydrogel) is attached to tip of primary microcatheter, which is going to deliver Platinum coils into the sac of wide neck aneurysm, swells to a larger diameter (from initial dehydrated state). This enlarged platform provides sufficient support to coil mass in the sac of wide neck aneurysm and blocks/prevents migration of coil loops into the parent artery, thereby obviating need for additional balloon catheter.

Currently more than 50,000 cerebral aneurysms are treated annually world wide, and this rate is growing 20% annually. More than 60-70%. Aneurysms are treated by balloon assisted method. This platform catheter can safely replace the need for 2<sup>nd</sup> balloon catheter in most instances.

— Platform catheter can replace currently available single tip microcatheter in most instances and can be used as the primary microcatheter.

The construction of this platform catheter is a simple modification of existing microcatheter tip. A ring of Hydrogel is attached to the tip of microcatheter. This ring can expand and up to 2 or 3 times its original dimension; there by providing sufficient platform at the base of wide neck aneurysm, so aneurysm greater than 4mm. Wide neck to 8 to 10mm. Wide neck can be treated without the need for balloon occlusion catheter in the parent artery.

# Platform Catheter



# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US04/032866

International filing date: 07 October 2004 (07.10.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US  
Number: 60/509,367  
Filing date: 07 October 2003 (07.10.2003)

Date of receipt at the International Bureau: 22 November 2004 (22.11.2004)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse